

**APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER
OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF
NEVADA HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office FEB 09 2006

Returned to applicant for correction _____

Corrected application filed _____

Map filed FEB 22 2006

The applicant **ROBERT P. LACKER AND MARY A. LACKER** hereby makes application for permission to change the **PLACE OF USE AND POINT OF DIVERSION OF A PORTION** of water heretofore appropriated under **PERMIT 24582, CERT. 7673**

1. The source of water is **UNDERGROUND SOURCE**
2. The amount of water to be changed **0.0022 C.F.S., ONE ACRE FOOT**
3. The water to be used for **QUASI-MUNICIPAL PURPOSES**
4. The water heretofore permitted for **QUASI-MUNICIPAL PURPOSES**
5. The water is to be diverted at the following point **WITHIN THE SOUTHEAST QUARTER (SE ¼) OF THE NORTHWEST QUARTER (NW ¼), SECTION 27, T.19S., R.60E., M.D.M., OR AT A POINT FROM WHICH THE CENTER ONE-QUARTER (C ¼) CORNER OF SAID SECTION 27, T.19S., R.60E., M.D.M., BEARS SOUTH 16°40'06" EAST A DISTANCE OF 627.0 FEET.**
6. The existing permitted point of diversion is located within **THE NORTHWEST QUARTER (NW¼) OF THE NORTHWEST QUARTER (NW¼) OF SECTION 10, T.21S., R.61E., M.D.M., OR AT A POINT FROM WHICH THE NORTHWEST CORNER OF SAID SECTION 10, T.21S., R.61E., M.D.M., BEARS NORTH 15°40' WEST A DISTANCE OF 917.0 FEET.**
7. Proposed place of use **LOTS 2, 3, & 4 OF PARCEL MAPS, FILE 61, PAGE 95, PORTION OF THE NORTHEAST QUARTER (NE ¼) OF THE SOUTHEAST QUARTER (SE ¼) OF THE SOUTHEAST QUARTER (SE ¼) OF THE NORTHWEST QUARTER (NW ¼), SECTION 27, T.19S., R.60E., M.D.M., ASSESSOR PARCEL NUMBERS 125-27-203-003, 004 & 005.**
8. Existing place of use **PORTION OF THE NORTHEAST QUARTER (NE ¼) OF THE NORTHEAST QUARTER (NE¼), SECTION 9 AND A PORTION OF THE NORTHWEST QUARTER (NW ¼) OF THE NORTHWEST QUARTER (NW ¼) OF SECTION 10, T.21S., R.61E., M.D.M.**
9. Use will be from **JANUARY 1ST to DECEMBER 31ST** of each year.
10. Use was permitted from **JANUARY 1ST to DECEMBER 31ST** of each year.
11. Description of proposed works **WELL IS EXISTING WITH TOTALIZING METER.**
12. Estimated cost of works **NONE**

13. Estimated time required to construct works **EXISTING 8 INCH STEEL CASED WELL, 5 HP SUBMERSIBLE PUMP, STORAGE TANK AND APPRUNTENANCES.**
14. Estimated time required to complete the application of water to beneficial use **ONE YEAR**
15. Remarks: **WATER IS TO BE USED FOR THREE EXISTING RESIDENCES ORIGINAL WELL DRILLED UNDER PERMIT 61406 AND 53090.**

By **ROBERT FULSTONE AGENT**
s/ Robert Fulstone
940 S.MARTIN L. KING BLVD.
LAS VEGAS, NEVADA 89106

Compared sg/mt lt/gkl

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion and place of use of a portion of the waters of an underground source as heretofore granted under Permit 24582, Certificate 7673, is issued subject to the terms and conditions imposed in said Permit 24582, Certificate 7673, and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The total combined duty of water under Permits 61406 and 73814 shall not exceed 4.37 acre-feet annually.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

(Continued on Page 3)

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.0022 cubic feet per second, but not to exceed 1.0 acre-feet annually.

Work must be prosecuted with reasonable diligence and proof of completion of work shall be filed on or before:

February 9, 2008

Water must be placed to beneficial use and proof of the application of water to beneficial use shall be filed on or before:

February 9, 2009

Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, TRACY TAYLOR, P.E.,
State Engineer of Nevada, have hereunto set
my hand and the seal of my office,
this 9th day of February, A.D. 2007

Tracy Taylor, P.E.
State Engineer

Completion of work filed _____

Proof of beneficial use filed _____

Cultural map filed N/A _____

Certificate No. _____ Issued _____